166 Pasadena Dr. Suite 100 Lexington, KY 40503 Office: 859-279-2111

1.

2.

3.

5.

6.

7.

1)

2)



Theodore L. Gerstle, M.D. www.lexingtonps.com drgerstle@lexingtonps.com

NASAL RECONSTRUCTION (RHINOPLASTY)

REQUEST FOR TREATMENT AND INFORMED CONSENT

	DO NOT SIGN THIS FORM UNTIL YOU HAVE READ IT AND FULLY UNDER	STAND ITS	CONTE	ENTS	
PATIENT:		DATE:	_/	_/	
I	l understand that the above named procedure has been explained and is to be p	performed or	n me.		
	The following has been explained to me in general terms and I unders	tand that:			
This may be patient. So	IOSIS REQUIRING THIS PROCEDURE is an external nasal deformity, promine from an inherited characteristic, birth, or injury. The shape and/or size of the nation metimes the nose may be collapsed so as to interfere with the air passages. The which could block the space for air to pass.	ose may be	undesir	able to the	
reconstructives of the factorial cartilaginous supportives. This would	RE OF THE PROCEDURE is to attempt to reconstruct the nose surgically by an ion" or "rhinoplasty") aimed at changing the shape and size of the nose to a morace. This is done by incisions made inside and/or outside the nose and rearrants skeleton up under the skin so that the skin drape may assume a new shape astructure. Sometimes it is necessary to take out skin at the sides of the base of leave an outside scar, but it falls in areas of natural contours. Sometimes cartilatispensable and placed in the nose to improve contours and provide support.	e satisfactor gement of the s it conforms the nose by age is borrow	y balange bony s to the the nos wed from	ce with the and changed strils also.	
	OSE OF THIS PROCEDURE is to attempt to make the appearance of the nose reverely collapsed or blocked, to help open the nostril airways.	more natura	l, and o	ccasionally,	
<u>PRACTICAL ALTERNATIVES TO THIS PROCEDURE</u> include doing nothing and accepting the circumstances of my medical condition. Sometimes makeup may help a bit if very skillfully applied.					
completely have the preextensive s	predictable and the medical condition may get better, may get worse or may state occurred may result in possible progression of the medical condition and/or the purgery if the medical condition progresses and remains undiagnosed or untreated with changes of climate, allergic condition, and/or injury.	y the same. oossible nee	Howeve d for mo	er, failure to ore	
MATERIAL RISKS OF THIS PROCEDURE: As a result of this procedure being performed, there may be material risks of: INFECTION, ALLERGIC REACTION, TOXIC REACTION, DISFIGURING SCAR, SEVERE LOSS OF BLOOD, LOSS OR LOSS OF FUNCTION OF ANYLIMB OR ORGAN, BRAIN DAMAGE, and CARDIAC ARREST OR DEATH.					
In addition t limited to:	to these material risks, there may be OTHER POSSIBLE RISKS involved in this	procedure i	ncludin	g but not	
healing problems may occur which might result in a change in the shape of the nose or residual external deformity, asymmetry, or airway blockage;					
internal scaring or adhesions may occur;					

Page 1 of 3

Initials _____

166 Pasadena Dr. Suite 100 Lexington, KY 40503 Office: 859-279-2111 Theodore L. Gerstle, M.D. www.lexingtonps.com drgerstle@lexingtonps.com

7. OTHER POSSIBLE RISKS (concluded):

- 3) a septal perforation (opening or hole in the nasal septum) may occur after surgery and cause irritative nasal symptoms (dryness or crusting) or a peculiar sound like a whistle;
- 4) there may be persistent swelling in the nose, especially around the tip, that may be temporary, last several months or years, or may be permanent;
- 5) a hematoma (blood clot or collections of bloody fluid) may occur at the operative site;
- 6) severe blood loss may occur which may necessitate transfusion which carries the risk of exposure to AIDS, hepatitis or other infectious diseases;
- 7) abscess formation (collection of pus) or sinusitis may occur;
- 8) if cartilage grafts are used, they may resorb (dissolve), become displaced and result in an unusual position, or work their way out from underneath the skin, becoming exposed and necessary to be removed;
- 9) if cartilage grafts are used, there may be a resulting perforation of the nasal septum (opening in the divider between the two air passageways) or potential ear deformity, depending on where the cartilage is taken from;
- 10) some tissue may slough (dissolve away) due to poor healing;
- 11) some fatty tissue may undergo fat necrosis (dissolve away) which may cause lumpiness or firmness in the tissue and may sometimes require drainage;
- 12) fluid collections may accumulate under the skin and may require drainage or aspiration (withdrawal by needle);
- 13) pain and discomfort may occur,
- 14) numbness (sensory loss, loss of feeling), itching, firmness, lumpiness and tight feelings may occur and could be temporary or permanent;
- 15) an injury to the tear duct may occur;
- 16) if portions of the nostrils are removed to reduce the flair or an incision on the outside of the nose is required, scars will occur and may go from pink and firm to faded and soft over a period of six to twelve months; some scars may widen, become depressed, or appear raised and "ropey" red which may take two years or longer to fade and soften; scars will be PERMANENT AND VISIBLE.
- 17) bruising and swelling may occur and last a few weeks to several months:
- 8. Even though the risks and complications cited above are infrequent, they are the ones peculiar to the operation and are of greatest concern. Complications may also be increased due to the patient's individual medical condition and personal habits. Medications, i.e. ASPIRIN, may interfere with blood clotting and cause excessive bleeding.
 SMOKING CIGARETTES may interfere with the blood supply to the skin and may cause abnormal healing with tissue sloughing (dissolving away) and excessive scaring. ALCOHOL may cause excessive bleeding during and after surgery. Certain HERBAL PREPARATIONS may affect the blood clotting system and cause excessive bleeding while others may inhibit healing of the incisions. Colds, infections, boils and pustules may increase the risk of infection after surgery. Excessive sun exposure and/or tanning beds, heating pads and hot water bottles may cause severe bums at the surgery site if one has temporarily or permanently lost protective sensation.

Page 2 of 3 Initials _____

166 Pasadena Dr. Suite 100 Lexington, KY 40503 Office: 859-279-2111 Theodore L. Gerstle, M.D. www.lexingtonps.com drgerstle@lexingtonps.com

- 9. I understand that the physician, medical personnel and other assistants will rely on statements made by me concerning my medical history and other information I provide in determining whether to perform the procedure or the course of treatment for my condition and in recommending the procedure, which has been explained to me. Withholding medical and/or health information may result in further complications.
- 10. There may be a need for immediate or other additional surgery to treat the above complications, which could include hospitalization, time off work and additional expense to me.
- 11. I understand that my expectations should be realistic and I should consider not undergoing the surgery if my expectations are greater than the reality of this treatment. Psychological problems may occur due to unrealistic expectations of the surgery or difficulties in accepting changes in my appearance.
- 12. I understand that the practice of medicine is not an exact science and that NO GUARANTEES OR ASSURANCES HAVE BEEN MADE TO ME CONCERNING THE RESULTS OF THIS PROCEDURE.
- 13. I consent to the taking of pictures during the course of my treatment for the purpose of helping to plan and assess the proposed therapy. No photographs will be shown to patients or physicians without my permission. If any portion of my surgery is to be billed to insurance (this does not include cosmetic procedures), I understand my insurance carrier may require photographs to process my claim.
- 14. On occasion, unplanned surgical revisions may be indicated following the original surgery. If planned or performed within one (1) year after the original surgery, there will be no charge by the surgeon. However, a fee will be charged by the facility for use of the operating room. There will also be a charge by the anesthesiologist if indicated.
- 15. I voluntarily consent to allow Dr. Gerstle and all medical personnel under his direct supervision and control and all other personnel who may otherwise be involved in performing such procedures to perform the procedure(s) described or otherwise referred to herein.
- 16. BY SIGNING THIS FORM, I ACKNOWLEDGE THAT I HAVE READ OR HAD THIS FORM READ AND/OR EXPLAINED TO ME, THAT I FULLY UNDERSTAND ITS CONTENTS, THAT I HAVE BEEN GIVEN AMPLE OPPORTUNITY TO ASK QUESTIONS AND THAT ANY QUESTIONS HAVE BEEN ANSWERED SATISFACTORILY. ALL BLANKS OR STATEMENTS REQUIRING COMPLETION WERE FILLED IN.

Signature of person giving consent:	Date:
Relationship to patient if not the patient:	
Witness:	Date:
Copy of consent form offered to patient	
Copy given Declined	